

Mobile Valves - Dir Control Spares

Monoblock and Sectional Valve Accessories

Sectional Valve Bolt Kits

| Valve Size | No of Sections | Part Number |
|------------|----------------|-------------|
| Q30 | 1 | 03901 TX1 |
| | 2 | 03902 TX2 |
| | 3 | 03903 TX3 |
| | 4 | 03904 TX4 |
| | 5 | 03905 TX5 |
| | 6 | 03906 TX6 |
| | 7 | 03907 TX7 |
| | 8 | 03908 TX8 |
| | 9 | 03909 TX9 |
| | 10 | 03910 TX10 |
| Q80 | 1 | 08901 TX1 |
| | 2 | 08902 TX2 |
| | 3 | 08903 TX3 |
| | 4 | 08904 TX4 |
| | 5 | 08905 TX5 |
| | 6 | 08906 TX6 |
| | 7 | 08907 TX7 |
| | 8 | 08908 TX8 |
| | 9 | 08909 TX9 |
| | 10 | 08910 TX10 |
| Q130 | 1 | 10901 TX1 |
| | 2 | 10902 TX2 |
| | 3 | 10903 TX3 |
| | 4 | 10904 TX4 |
| | 5 | 10905 TX5 |
| | 6 | 10906 TX6 |
| | 7 | 10907 TX7 |
| | 8 | 10908 TX8 |
| | 9 | 10909 TX9 |
| | 10 | 10910 TX10 |



High Pressure Carry Over Plugs

| Valve Size | Port Size | Part Number |
|-----------------|-----------|----------------|
| Q25 / Q30 | 3/8" BSP | 06000 22783 99 |
| Q45 / Q50 | 1/2" BSP | 06000 25647 99 |
| Q75 / Q80 | 1/2" BSP | 06000 23158 99 |
| Q75 / Q80 / Q95 | 3/4" BSP | 06000 27908 99 |
| Q130 | 3/4" BSP | 06000 28819 99 |



Relief Valve Plugs

| Valve Size | Port Size | Part Number |
|-----------------|-----------|----------------|
| Q25 / Q35 / Q45 | 3/8" BSP | 06000 27888 99 |
| Q75 / Q80 / Q95 | 1/2" BSP | 06000 27889 99 |
| Q130 | 3/4" BSP | 06000 4689 99 |



Mobile Valves - Accessories

Detent Kits

| Valve Size | Port Size | Part Number |
|-----------------|-------------------|-------------|
| Q25/Q45/Q30/Q50 | Detent on A Port | 03741 R1 |
| Q25/Q45/Q30/Q50 | Detent on B Port | 03742 R2 |
| Q25/Q45/Q30/Q50 | 3 Position Detent | 03743 R3 |
| Q75/Q80/Q95 | Detent on A Port | 08741 R1 |
| Q75/Q80/Q95 | Detent on B Port | 08742 R2 |
| Q75/Q80/Q95 | 3 Position Detent | 08743 R3 |
| Q130 | Detent on A Port | 10741 R1 |
| Q130 | Detent on B Port | 10742 R2 |
| Q130 | 3 Position Detent | 10743 R3 |



Pneumatic Pilot Device

| Valve Size | Pilot Pressure | Pilot Volume | Port Connection | Part Number |
|-----------------|------------------------|-------------------|-----------------|-------------|
| Q25/Q45/Q30/Q50 | Min 5 Bar - Max 30 Bar | 4 cm ³ | 1/8" BSP | 03661 P1-N |
| Q75/Q80/Q95 | Min 5 Bar - Max 30 Bar | 9 cm ³ | 1/8" BSP | 08661 P1-N |
| Q130 | Min 5 Bar - Max 30 Bar | 9 cm ³ | 1/8" BSP | 10661 P1-N |



High Pressure Hydraulic Pilot Device

| Valve Size | Pilot Pressure | Pilot Volume | Port Connection | Part Number |
|-----------------|--------------------------|-------------------|-----------------|-------------|
| Q25/Q45/Q30/Q50 | Min 16 Bar - Max 350 Bar | 2 cm ³ | 1/4" BSP | 03779 H1 |
| Q75/Q80/Q95 | Min 16 Bar - Max 350 Bar | 3 cm ³ | 1/4" BSP | 08779 H1 |
| Q130 | Min 16 Bar - Max 350 Bar | 3 cm ³ | 1/4" BSP | 10779 H1 |



Lever Assemblies

| Valve Size | Components | Part Number |
|---------------------|---|-------------|
| Q25/Q35/Q45/Q30/Q50 | Lever rod, lock nut, box lever, bellows, control lever, pin, spacer, fixing bolts | 03600 A1-A2 |
| Q75/Q80/Q95 | Lever rod, lock nut, box lever, bellows, control lever, pin, spacer, fixing bolts | 08600 A1-A2 |
| Q130 | Lever rod, lock nut, box lever, bellows, control lever, pin, spacer, fixing bolts | 10600 A1-A2 |



Mobile Valves - Dir Control Spares

Mobile Valves - Accessories

| Spools | | |
|-----------------|---|-----------------|
| Valve Size | Spool Type | Part Number |
| Q35 | Single Acting | KR35 101-102 |
| Q35 | Double Acting - Open Center, A and B ports blocked to tank in center position | KR35 103 |
| Q35 | Double Acting - Closed Centre, all ports blocked to tank in centre position | KR35 106 |
| Q35 | Double Acting Motor Spool - A and B ports open to tank in center position | KR35 111 |
| Q25/Q45/Q30/Q50 | Single Acting | KR30 101 - 102 |
| Q25/Q45/Q30/Q50 | Double Acting - Open Center, A and B ports blocked to tank in center position | KR30 103 |
| Q25/Q45/Q30/Q50 | Double Acting - Closed Centre, all ports blocked to tank in centre position | KR30 106 |
| Q25/Q45/Q30/Q50 | Double Acting Motor Spool - A and B ports open to tank in center position | KR30 111 |
| Q75/Q80/Q95 | Single Acting | KR80 101-102 |
| Q75/Q80/Q95 | Double Acting - Open Center, A and B ports blocked to tank in center position | KR80 103 |
| Q75/Q80/Q95 | Double Acting - Closed Centre, all ports blocked to tank in centre position | KR80 106 |
| Q75/Q80/Q95 | Double Acting Motor Spool - A and B ports open to tank in center position | KR80 111 |
| Q130 | Single Acting | KR130 101 - 102 |
| Q130 | Double Acting - Open Center, A and B ports blocked to tank in center position | KR130 103 |
| Q130 | Double Acting - Closed Centre, all ports blocked to tank in centre position | KR130 106 |
| Q130 | Double Acting Motor Spool - A and B ports open to tank in center position | KR130 111 |

